

General Risk Assessment

Assessment Details

| | | | | |
|---|----------------|--|-------------------------------------|---|
| Projects: | Lab Media | | Location: | The Lab, Carrowbreck House, Drayton High Road, Hellesdon, Norwich. NR6 5BJ |
| Staff Consultation: (Management) | P.Weston | | Students, Staff & Users: | <ul style="list-style-type: none">• Full/Part time staff: 1-3• Students: 1-6• Volunteers: 0• Users with known Disability: 0 |
| Assessor: | William Wilson | | Verified by: | P. Weston |
| Date of Assessment / Reviews: | 11/03/2022 | | Date for next Review: | 03/02/2024 |
| Comments: | | | | |

General Risk Assessment

Hazards, Risk & Controls

Hazards & Risks associated with the activities & Equipment and Facilities within the premises

| Ref | HAZARDS Potential for harm | CONTROLS Already in place | ADDITIONAL CONTROLS Required to reduce risk to residual level |
|-----|-------------------------------|---|---|
| | 3D printing | safe use discussion awareness of danger points | <ul style="list-style-type: none"> supervised use 1 user at a time |
| | animation lights | safe use discussion | <ul style="list-style-type: none"> wiring to be placed out of the way of feet/potential movements. |
| | Use of batteries | safe use discussion | <ul style="list-style-type: none"> batteries kept away from students. available when required. |
| | Use of scissors | safe use discussion | <ul style="list-style-type: none"> scissors kept in cupboard until required. passed correctly. |
| | Virtual Reality | safe use discussion | <ul style="list-style-type: none"> not to be used for longer than 30 minutes in one sitting. supervised use to deter "horse play" |

General Risk Assessment